

MIC ENVIRONMENTAL SCIENCES (CO./DIV./DEPT./LOCATION)

47

SPECIAL STUDY (TYPE OF REPORT)

REPORT NO .:

ES-80-SS-24

JOB/PROJECT NO .:

43-000-760.25-8623045

Transfer to 02-003-913.41-610

DATE:

October 28, 1980

TITLE:

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE

DEAD CREEK SITE - ILLINOIS EPA SPLIT SAMPLES

AUTHORS:

Robert G. Kaley, II

CONTRIBUTORS:

D. Guerry 0. Hicks

R. G. Hord

ABSTRACT:

Three sediment samples and one well water sample were taken on October 2, 1980 by Monsanto and IEPA representatives. The Monsanto samples were transferred to our laboratory and analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. In addition, no organic chemicals were detected above the detection limits in the well water sample. However, varying amounts of the organic chemicals and metals were measured in the soil samples. One sample contained higher levels of polychlorinated biphenyls and other organic compounds, while the other two samples contained higher levels of metals. The results clearly indicate non-

uniform contamination at the Dead Creek site.

DISTRIBUTION:

1111020

MGK

D. R. Bishop - A3NB

R. G. Hord - T28

C. F. Callis - B3CA J. H. Craddock - G3WA R. G. Kaley - N3A J. P. Mieure - N3A

D. Guerry - T28

W. B. Papageorge - G4WA R. H. Sinise - 1740

P.EE.THeisler == 1740

O. Hicks - NIE

R. L. Wasson - R2E

CONFIDENTIAL COMPANY

This document is the property of Monsanto Company and the recipient is responsible for its safekeeping and disposition. It contains CONFIDENTIAL INFORMATION which must not be reproduced, revealed to unauthorized persons or sent outside the Company without proper authorization

EPA/CERRO COPPER/EIL/PCB ATTORNEY WORK PRODUCT / ATTORNEY CLIENT PRIVILEGE

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE ILLINOIS EPA SPLIF SAMPLES R. to. Kaley, 11 ES-80-55-24 AUTHORS.

HEPT, NO.: COPY NO.

HILE

MEASUREMENT OF SELECTED CHEMICALS IN SOIL FROM THE DEAD CREEK SITE ILLINOIS EPA SPLIT SAMPLES

INTRODUCTION

Following media reports and subsequent Illinois EPA concern about hazardous chemicals at the Dead Creek site near Sauget, Illinois, personnel from Monsanto's W. G. Krummrich Plant and the Illinois EPA sampled several areas at the site and split the samples. The Monsanto samples were submitted to Environmental Sciences for characterization. Monsanto's concerns about the site arose from reports of high levels of polychlorinated biphenyls and phosphorus, as well as the reported presence of other chemicals, and the proximity of the site to the Krummrich Plant. These samples were taken to give both Monsanto and the Illinois EPA opportunity to confirm the reported levels found in earlier samplings by the Illinois EPA. In addition to polychlorinated biphenyls and phosphorus, several other "families" of chemicals were measured to try to identify or eliminate possible sources of the chemicals at the site.

SUMMARY

Three sediment samples and one well water sample were taken on October 2, 1980 by Monsanto and IEPA representatives. The Monsanto samples were transferred to our laboratory and analyzed for polychlorinated biphenyls, elemental phosphorus, chlorobenzenes, chlorophenols, phosphate esters, and metals (including arsenic and inorganic phosphorus). No elemental phosphorus was detected in any of the samples, which implies that phosphorus is not responsible for the "smoking earth" reported at the site. In addition, no organic chemicals were detected above the detection limits in the well water sample. However, varying amounts of the organic chemicals and metals were measured in the soil samples. One sample contained higher levels of polychlorinated biphenyls and other organic compounds, while the other two samples contained higher levels of metals. The results clearly indicate non-uniform contamination at the Dead Creek site.

DETAILS

Sampling

The three soil and one water samples were collected by Monsanto W. G. Krummrich plant personnel and IEPA personnel and split at the site. The Monsanto samples were transferred to the Environmental Analysis Group. In our laboratory, the sediment samples were handled according to Standard Operating Procedure (SOP) EAN-30-SOP-6, Homogenizing, Subdividing and Preserving Sediment Samples. Portions of the soil samples were transferred to Applied Sciences for the determination of metals and arsenic.

WGK 1111021

Analytical Procedures

The three soil samples were analyzed for a variety of chemicals using established procedures or methods developed and validated for the chemicals of interest in soil. The following list tabulates the methods which were used.

Analyte	Method No.	Title
Polychlorinated Biphenyls	ES-80-M-28	Determination of Polychlorinated Biphenyls in Soil and Sediment
Chlorinated Benzenes	ES-80-M-29	Determination of Chlorinated Benzenes in Soil and Sediment
Chlorinated Phenols	ES-80-M-30	Determination of Chlorinated Phenols in Soil and Sediment
Elemental Phosphorus (P ₄)	ES-80-M-24	Determination of Elemental Phosphorus (P_4) in Soil and Sediment
Phosphate Esters	ES-80-M-5	Determination of Group I Compounds in Sediments
Metals	Ref. 1, 2	Inductively Coupled Plasma (ICP) Method for Trace Element Analysis of Water and Wastes
Arsenic	Ref. 3	Methods for Chemical Analysis of Water and Wastes-Arsenic

All determinations were carried out in strict accordance with these methods, except that the polychlorinated biphenyls, chlorinated benzenes and phosphate esters were measured in extracts from acidified samples to facilitate determination of chlorinated phenols in the same extracts.

The water sample was extracted in accordance with SOP EAN-80-SOP-19, Extraction of Semivolatile Organic Compounds from Water. The levels of polychlorinated biphenyls and phosphorus were determined using the analytical conditions specified in the respective method for soils listed above.

Results

The analytical results for this study are tabulated in Tables I-VI. Each table contains the results for all of the samples for a specific group of compounds. All results for the soils are in ppm (parts per million or $\mu g/g$). The results for the water sample are in ppb (parts per billion, ng/g). In general, the stated detection limits are the lowest level at which a given measurement was validated. Levels which are apparently real, but which are below the validated detection limit are presented in parentheses.

WGK 1111022

Quality Assurance

The quality assurance results (i.e., recovery and precision evaluations) for these samples have been compiled along with those of similar samples analyzed concurrently. These results are reported in Special Study ES-80-SS-27, Measurement of Selected Chemicals in Soil from the Dead Creek Site - Quality Assurance.

REFERENCES

- 1. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, page: Metals-6, Section 4.1.3.
- 2. Federal Register, Vol. 44, No. 233, December 3, 1979.
- 3. Methods for Chemical Analysis of Waters and Wastes, EPA-600/4-79-020, Method 206-Arsenic, pages: 206.2-1 to 206.5-2.

MGK 1111023

TABLE I. PPM	LEVELS OF PCBs /	AND ELEMENTAL PHOSP	HORUS (P4) IN	DEAD CREEK S	OIL AND WATER SAMPLES	
ANALYTE	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	(Water) 0100307 10/2/80 Well at Theresa's Greenhouse, 101 Walnut, Sauget,IL.	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO.
PCB's (Cl ₂ to Cl ₆ Homologs)		13,000	240	45	ND < 1 ppb	ND < 1
P ₄		ND < 1	ND < 1	ND < 1	ND < 1 ppb	ND < 1

TABLE II. PPM LEVELS OF CHLOROBENZENES IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St. Charles, MO.
MONOCHLOROBENZENE	(0.9)	ND < 1	(0.3)	ND < 1
P-DICHLOROBENZENE	370	(0.3)	(0.4)	ND < 1
O-DICHLOROBENZENE	80	(0.6)	1.0	ND < 1
TRICHLOROBENZENES (3)	85 ·	1.6	(0.7)	ND < 1
TETRACHLOROBENZENES (3)	6.1	2.4	(0.4)	ND < 1
PENTACHLOROBENZENE	ND < 1	ND < 1	ND < 1	ND < 1
HEXACHLOROBENZENE	ND < 1	1.2	ND < 1	ND < 1
NITROCHLOROBENZENES (0-, P-)	120	ND < 1	ND < 1	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

TABLE 111. PPM LEVELS OF CHLOROPHENOLS IN DEAD CREEK SOIL SAMPLES

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles.MO.
O-CHLOROPHENOL	3.7	ND < 1	ND < 1	ND < 1
P-CHLOROPHENOL	6.6	ND < 1	(0.9)	ND < 1
2,4-D1CHLOROPHENOL	1.2	ND < 1	ND < 1	ND < 1
PENTACHLOROPHENOL	130	ND < 1	1.8	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

TABLE IV. P	PM LEVEL	.S OF	PHOSPHATE	ESTERS	IN DEAD	CREEK	SOII.	SAMPLES
-------------	----------	-------	-----------	--------	---------	-------	-------	---------

ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank No. Bottoms St. Charles, MO.
DIBUTYLPHENYL PHOSPHATE	330	ND < 1	(0,8)	ND < 1
BUTYLDIPHENYL PHOSPHATE	ND < 1	ND < 1	(0,8)	ND < 1
TRIPHENYL PHOSPHATE	2600	ND < 1	ND < 1	ND < 1
2-ETHYLHEXYLDIPHENYL PHOSPHATE	ND < 1	ND < }	2,2	ND < 1
ISODECYLDIPHENYL PHOSPHATE	NO < 1	ND < J	ND < 1	ND < 1.
T-BUTYLPHENYLDIPHENYL PIЮSPHATE	28	ND < 1	ND < 1	NO < 1
DI-T-BUTYLPHENYLDIPHENYL PHOSPHATE	ND < 1	ND < 1	ND < 1	MD < 1
NONYLPHENYLDIPHENYL PHOSPHATE	ND < 1	ND < 1	ND < 1	MD < 1
CUMYLPHENYLDIPHENYL PHOSPHATE	3,7	ND < 1	ND < 1	ND < 1

^() Values in parentheses are below the validated detection limit. However, they represent levels detected with a S/N >2.5 and can be considered semi-quantitative.

TABLE V. PPM LEVELS OF METALS IN DEAD CREEK SOIL SAMPLES

ANALYTE	ES LOG NO. DATE SAMPLED LOCATION	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100303	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO.
SILVER		HD <1	42	29	ND < 1
ALUMINUM		1400	5100	5300	5600
BARIUM		770	1200	1300	130
BERYLLIUM		ND < 1	ND < 1	ND < 1	NC < 1
BORON		28	160	100	27
CALCIUM		8500	9200	6200	4600
CADMIUM		5.1	60	55	3.9
COBALT		15	180	120	33
CHROMIUM		25	110	240	19
COPPER		460	28,000	18,000	19
IRON		4700	53,000	30,000	9900
MAGNESIUM		460	2200	2000	2300
MANGANESE		29	170	110	510
MOLYBDENUM		6.1	92	68	11
SODIUM		400	540	410	320
NICKEL		110	2000	1700	39
LEAD		180	2000	1600	50
PHOSPHORUS		2500	13,000	9400	610
ANTIMONY	EG X	13	240	160	29
SILICON	*	. 73	150	89	110
TIN	11	18	260	220	18
STRONTIUM	1111028	35	230	110	17
TITANIUM	128	32	110	80	37
VANADIUM		34	140	130	130
ZINC		280	32,000	18,000	56
ARSENIC (By A	(A)	210	40	55	5

)age 8

			··· — —		
ES LOG NO. DATE SAMPLED LOCATION ANALYTE	0100301 10/2/80 40 yds south of Queeny Ave. Center of Creek	0100303 10/2/80 268 paces south of 0100301	0100305 10/2/80 270 paces south of 0100305	0041701 4/16/80 Soil Blank Mo. Bottoms St.Charles,MO,	
P - ELEMENTAL, By GC/MS	NO < 1	ND < 1	ND < 1	ND < 1	
P-INORGANIC, By ICP	2500	13,000	9400	610	
TOTAL PHOSPHATE ESTERS, By GC/MS	3000	ND < 10	4	ND < 10	

Submitted by:

Monsanto Industrial Chemicals Company Environmental Sciences Section - NIE 800 North Lindbergh Boulevard St. Louis, Missouri 63166

Prepared by:

Robert G. Kaley, II Research Group Leader

Approved by:

James P. Mieure

Manager, Environmental Sciences